ADAM-3900 Series

Wiring Terminals for DIN-rail Mounting



ADAM-3909

DB9 Wiring Terminal for DIN-rail Mounting



ADAM-3915

DB15 Wiring Terminal for DIN-rail Mounting

Features

- Low cost universal DIN-rail mounting screw terminal module for PC-LabCard™ products with DB9 connector.
- Case dimensions (W x L x H): 77.5 x 45 x 51 mm (3.1" x 1.8" x 2.0")

To Be Used With

PCL-728, PCL-740, PCL-741, PCL-743B, PCL-745B, PCL-832

Features

- Low cost universal DIN-rail mounting screw terminal module for AMONet cards with DB15 female connector.
- Case dimensions (W x L x H): 77.5 x 68 x 51 mm (3.1" x 2.7" x 2.0")


To Be Used With

PCI-1202



ADAM-3920

20-pin Flat Cable Wiring Terminal for DIN-rail Mounting



ADAM-3925

DB25 Wiring Terminal for DIN-rail Mounting

Features

- Low cost universal DIN-rail mounting screw terminal module for PC-LabCard products with 20-pin connector
- Case dimensions (W x L x H): 77.5 x 67.5 x 51 mm (3.1" x 2.7" x 2.0")

To Be Used With

PCI-1735U, PCL-711B/S, PCL-720+, PCL-726, PCL-727, PCL-730, PCL-812PG, PCL-816, PCL-818 Series, PCL-836

Features

- Low cost universal DIN-rail mounting screw terminal module for PC-LabCard products with DB25 connector
- Screw-clamp terminal blocks allow easy and reliable connections
- Case dimensions (W x L x H): 77.5 x 56.3 x 51 mm (3.1" x 2.2" x 2.0")

To Be Used With

PCL-725, PCL-740, PCL-746+, PCL-833



ADAM-3937

DB37 Wiring Terminal for DIN-rail Mounting



ADAM-3944

DB44 Wiring Terminal for DIN-rail Mounting

Features

- Low cost universal DIN-rail mounting screw terminal module for DA&C cards with DB37 female connector
- Case dimensions (W x L x H): 77.5 x 146.3 x 51 mm (3.1" x 5.8" x 2.0")

To Be Used With

PCI-1713, PCI-1715U, PCI-1718HDU/1718HGU, PCI-1720U, PCI-1727U, PCI-1730, PCI-1733, PCI-1734, PCI-1750, PCI-1760, PCI-1761

Features

- Low cost universal DIN-rail mounting screw terminal module for DA&C cards with DB44 female connector.
- Case dimensions (W x L x H): 77.5 x 203 x 51 mm (3.1" x 8" x 2.0")

To Be Used With

PCI-1736UP, PCI-1763UP

ADAM-3900 Series

Wiring Terminals for DIN-rail Mounting



ADAM-3950

50-pin Flat Cable Wiring Terminal for DIN-rail Mounting



ADAM-3950D

Dual 50-pin SCSI-II Wiring Terminal for DIN-rail Mounting

PAC & Software

BAS IND

DC 405 I/O

Ethernet I/O

TPC

IPPC

AWS

Plug-in I/O

Signal Conditioning

USB I/O

Ethernet Switch

EDG

Features

- Low cost universal DIN-rail mounting screw terminal module for PC-LabCard™ products with 50-pin flat cable connector.
- Case dimensions (W x L x H): 77.5 x 146.3 x 51 mm (3.1" x 5.8" x 2.0")

To Be Used With

USB-4751/4751L, PCI-1737U, PCI-1739U, PCL-722, PCL-724, PCL-731



- Low cost universal DIN-rail mounting screw terminal module for industrial applications with dual 50-pin SCSI-II female connectors
- Case dimensions (W x L x H): 77.5 x 179.5 x 51 mm (3.1" x 7.1" x 2.0")

To Be Used With

PCI-1240U, PCI-1752U, PCI-1752USo, PCI-1754, PCI-1756



ADAM-3950S

50-pin SCSI-II Wiring Terminal for DIN-rail Mounting



ADAM-3951

Wiring Terminal Module with LED indicators for DIN-rail Mounting

Features

- Low cost universal DIN-rail mounting screw terminal module for industrial applications with 50-pin SCSI-II female connector
- Case dimensions (W x L x H): 77.5 x 146.3 x 51 mm (3.1" x 5.8" x 2.0")

To Be Used With

PCI-1752U, PCI-1752USO, PCI-1754, PCI-1756

Features

- Low-cost DIN-rail mounting wiring terminal module for PCI-1752/1754/1756 with 50-pin SCSI-II female connector.
- Screw-clamp terminal blocks allow easy and reliable connections.
- Each LED indicates its current bi-directional I/O logic status with either green or red light.
- Case dimensions (W x L x H): 77.5 x 179.5 x 41.5 mm (3.1" x 7.1" x 1.6")

To Be Used With

PCI-1752U, PCI-1752USO, PCI-1754, PCI-1756

ADVANTECH

ADAM-3900 Series

Wiring Terminals for DIN-rail Mounting



ADAM-3962

DB62 Wiring Terminal for DIN-rail Mounting



ADAM-3968/50

68-pin SCSI-II to Two 50-pin Box **Header for DIN-rail Mounting**

Features

- Low cost universal DIN-rail mounting screw terminal module for DA&C cards with DB62 female connector
- Screw-clamp terminal blocks allow easy and reliable connections
- Case dimensions (W x L x H): 77.5 x 124.5 x 63.5 mm (3.1" x 4.9" x 2.5")

To Be Used With

PCI-1243U, PCI-1762

Features

- Low cost universal DIN-rail mounting screw terminal module for PC-LabCard™ products with 68-pin SCSI-II connectors
- Converts one 68-pin SCSI-II connector to two 50-pin Opto-22 compatible box
- Case dimensions (W x L x H): 77.0 x 101.0 x 54.3 mm (3.0" x 4.0" x 2.1")

To Be Used With

PCI-1751, PCI-1753, PCI-1753E



ADAM-3968

68-pin SCSI-II Wiring Terminal for DIN-rail Mounting



ADAM-3978

DB78 Wiring Terminal for DIN-rail Mounting

Features

- Low cost universal DIN-rail mounting screw terminal module for industrial applications with 68-pin SCSI-II female connector
- Case dimensions (W x L x H): 77.5 x 191.2 x 51 mm (3.1" x 8.4" x 2.0")

To Be Used With

PCI-1710/1710L, PCI-1710HG/1710HGL, PCI-1711/1711L, PCI-1712/1712L, PCI -1716/1716L, PCI-1741U, PCI-1742U, PCI-1747U, PCI-1721, PCI-1723, PCI-1751, PCI-1753/1753E, PCI-1723, PCI-1780U



Features

Mounting

Low cost universal DIN-rail mounting screw terminal module for industrial applications with DB78 female connector

• Case dimensions (W x L x H): 86 x 191 x 42 mm (3.39" x 7.51" x 1.65")

To Be Used With

MIC-3753. PCI-1756



ADAM-3968/20

68-pin SCSI-II to Three 20-pin **Wiring Terminal Module for DIN-rail Mounting**



ADAM-39100

100-pin SCSI-II Wiring Terminal for DIN-rail Mounting

Features

- Low cost universal DIN-rail mounting screw terminal module for PC-LabCard™ products with 68-pin SCSI-II connectors
- Converts one 68-pin SCSI-II connector to three 20-pin connectors
- Case dimensions (W x L x H): 77.5 x 80 x 54.3 mm (3.1" x 3.2" x 2.1")

To Be Used With

PCI-1751, PCI-1753, PCI-1753E

Features

- Low cost universal DIN-rail mounting screw terminal module for industrial applications with 100 pin SCSI-II female connetor
- Case dimensions (W x L x H): 80 x 230 x 42 mm (3.14" x 9.05" x 1.65")

To Be Used With

PCI-1755